

CHO-BOND® 584 SDS No: PHC-049 Page 1 of 13 SDS Preparation Date (mm/dd/yyyy): 05/03/2017

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

: **CHO-BOND® 584**

: 50-00-0584-0029; 50-01-0584-0029; 50-02-0584-0029; 50-03-0584-0029; 50-10-0584-0029; Product Code(s)

50-30-0584-0029

Recommended use of the chemical and restrictions on use

: Silver-filled conductive epoxy. No restrictions on use known.

Chemical family Mixture of: Inorganic substances in powdered form; Epoxy resin; Ether

SDS number : PHC-049 Name, address, and telephone number of

the supplier:

Service Chimie

5 place de l'Eglise St Thibault des Vignes 77400 Marne la Valée

FRANCE

Supplier's Telephone # : 01 64 30 89 22

24 Hr. Emergency Tel # : INFOTRAC - (800) 535-5053 (Within Continental US); (352) 323-3500 (Outside US)

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Silver liquid. Mild odor.

Most important hazards:

May cause an allergic skin reaction. Suspected of causing genetic defects. Occupational exposure to the substance or mixture may cause adverse effects. For further information, please refer to section 11 of the SDS.

Toxic to aquatic life with long lasting effects. Avoid release to the environment. See Section 12 for more environmental information.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification:

Skin sensitization - Category 1 Germ cell mutagenicity - Category 2

Label elements

Hazard pictogram(s)





Signal Word WARNING!

Hazard statement(s)

May cause an allergic skin reaction. Suspected of causing genetic defects.



CHO-BOND® 584 SDS No: PHC-049

SDS Preparation Date (mm/dd/yyyy): 05/03/2017

Page 2 of 13

SAFETY DATA SHEET

Precautionary statement(s)

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust, fume or vapors. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/clothing and eye/face protection.

IF exposed or concerned: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local regulation.

Other hazards

Other hazards which do not result in classification:

Excessive heating above 50°C / 122°F may degrade the resin component. May release peroxides on exposure to light and air, or on contact with incompatibles. Rate of peroxide formation is not known. Toxic fumes, gases or vapors may evolve on burning. May be mildly irritating to skin, eyes and respiratory system. Inhalation of fumes may result in metal fume fever, a flu-like illness. May cause gastrointestinal irritation. Silver in the form of a finely divided dust may cause discoloration in contact with skin, and argyrosis in case of inhalation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	Common name and synonyms	CAS#	Concentration (% by weight)
silver	Silver metal Argentum	7440-22-4	65.0 - 75.0
Bisphenol A / epichlorohydrin resin	Reaction product: bisphenol-A-(epichlorohydrin)	25068-38-6	20.0 - 30.0
o-Cresyl glycidyl ether	2,3-epoxypropyl o-tolyl ether	2210-79-9	5.0 - 8.0

The exact concentrations of the above listed chemicals are being withheld as a trade secret as allowed by 29CFR1910.1200.

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

Skin contact

Eye contact

Ingestion

Do not induce vomiting. Never give anything by mouth to a person who is unconscious or is having convulsions. IF exposed or concerned: Get medical attention/advice.

Move to fresh air. If breathing is difficult, give oxygen by qualified medical personnel only. If Inhalation breathing stops, provide artificial respiration. IF exposed or concerned: Get medical

attention/advice.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Rinse thoroughly with plenty of water, also under the eyelids. IF exposed or concerned: Get medical attention/advice.



CHO-BOND® 584 SDS No: PHC-049 Page 3 of 13 SDS Preparation Date (mm/dd/yyyy): 05/03/2017

SAFETY DATA SHEET

Most important symptoms and effects, both acute and delayed

: May cause severe skin sensitization with allergic contact dermatitis symptoms such as swelling, rash and eczema.

Suspected of causing genetic defects.

May be mildly irritating to skin, eyes and respiratory system. Exposure may cause temporary irritation, redness or discomfort. May cause coughing and breathing difficulties. Inhalation of fumes may result in metal fume fever, a flu-like illness. Symptoms of metal fume fever may include fever, fatigue, vomiting, muscle aches and shortness of breath. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Silver in the form of a finely divided dust may cause discoloration in contact with skin, and argyrosis in case of inhalation.

Indication of any immediate medical attention and special treatment needed

: Provide general supportive measures and treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2); Dry chemical; Alcohol resistant foam; Water fog

Unsuitable extinguishing media

: Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture / Conditions of flammability

Not considered flammable. However, may burn if exposed to extreme heat and flame. After prolonged storage, may release explosive peroxides in the presence of air. Rate of peroxide formation is not known. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.

Flammability classification (OSHA 29 CFR 1910.106)

Not classified as flammable.

Hazardous combustion products

Carbon oxides; Metal oxides; Acids; Phenols; Aldehydes; Other unidentified organic compounds

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.

Special fire-fighting procedures

Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Keep people away from and upwind of spill/leak. Restrict access to area until completion of clean-up. Wear appropriate protective equipment. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

Prevent product from entering drains, sewers, waterways and soil. Avoid release to the environment.



CHO-BOND® 584 SDS No: PHC-049 Page 4 of 13 SDS Preparation Date (mm/dd/yyyy): 05/03/2017

SAFETY DATA SHEET

Methods and material for containment and cleaning up

: Ventilate the area. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. For spilled liquids: absorb spill with inert, non-combustible material such as sand, then place into suitable containers. Pick up and transfer to properly labeled containers. Contaminated absorbent material may pose the same hazards as the spilled product. Contact the proper local authorities. Refer to Section 13 for disposal of contaminated material.

Special spill response procedures

If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).

US CERCLA Reportable quantity (RQ): silver (1000 lbs / 454 kg)

In Canada: Contact appropriate local and provincial environmental authorities for assistance and/or reporting requirements.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Persons with recurrent skin eczema or sensitization problems should be excluded from working with this product. Once a person is sensitized, no further exposure to the material that caused the sensitization should be permitted.

Provide adequate ventilation. Wear suitable protective equipment during handling. Wear protective gloves/clothing and eye/face protection. Avoid breathing dust, fume or vapors. Avoid contact with skin, eyes and clothing. Keep away from extreme heat and flame. Keep away from incompatibles. Keep containers tightly closed when not in use. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Empty containers retain residue (liquid and/or vapor) and can be dangerous.

Conditions for safe storage

: Store in cool/well-ventilated place. Store locked up. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. Keep away from incompatibles.

Incompatible materials

Strong oxidizing agents; Strong acids; Strong bases; Amines; Mercaptans

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:				
Chemical Name	ACGIH 1	<u>rlv</u>	OSHA	<u>PEL</u>
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
silver	0.1 mg/m³ (dust and fume)	N/Av	0.01 mg/m³	N/Av
Bisphenol A / epichlorohydrin resin	N/Av	N/Av	N/Av	N/Av
o-Cresyl glycidyl ether	N/Av	N/Av	N/Av	N/Av

ACGIH - Biological Exposure Indices:

No biological exposure limits noted for the ingredient(s).



CHO-BOND® 584 SDS No: PHC-049

SDS Preparation Date (mm/dd/yyyy): 05/03/2017

Page 5 of 13

SAFETY DATA SHEET

Exposure controls

Ventilation and engineering measures

Provide adequate ventilation. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. In case of insufficient ventilation wear suitable respiratory equipment.

Respiratory protection

If airborne concentrations are above the permissible exposure limit or are not known, use NIOSH-approved respirators. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02. Advice should be sought from respiratory protection specialists.

Skin protection

Wear protective gloves/clothing. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Wear resistant clothing and boots.

Eye / face protection

Wear eye/face protection. Wear as appropriate: Safety glasses with side shields; Tightly fitting safety goggles. A full face shield may also be necessary.

Other protective equipment

Ensure that eyewash stations and safety showers are close to the workstation location.

Other equipment may be required depending on workplace standards.

General hygiene considerations

Avoid breathing dust, fume or vapors. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice. Contaminated work clothing must not be allowed out of the workplace.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Silver liquid. Odor Mild odor. Odor threshold N/Av рΗ N/Av Melting/Freezing point N/Av Initial boiling point and boiling range

: N/Av

> 93.3°C (200°F) (based on ingredients) Flash point

Flashpoint (Method) : N/Av Evaporation rate (BuAe = 1) : N/Av

Flammability (solid, gas) : Not applicable.

Lower flammable limit (% by vol.)

N/Av

Upper flammable limit (% by vol.)

: N/Av

Oxidizing properties None known. **Explosive properties** Not explosive N/Av

Vapor pressure Vapor density N/Av Relative density / Specific gravity

Solubility in water : Insoluble. Other solubility(ies) : N/Av

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: N/Av

Auto-ignition temperature : N/Av



CHO-BOND® 584 SDS No: PHC-049 Page 6 of 13 SDS Preparation Date (mm/dd/yyyy): 05/03/2017

SAFETY DATA SHEET

Decomposition temperature N/Av Viscosity N/Av Volatiles (% by weight) : N/Av Volatile organic Compounds (VOC's)

: 0 g/L

Absolute pressure of container

: N/Ap : N/Ap

Flame projection length Other physical/chemical comments

: No additional information.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not normally reactive.

: Stable under normal conditions. After prolonged storage, may release explosive peroxides in **Chemical stability**

the presence of air. Rate of peroxide formation is not known. Excessive heating above 50°C

/ 122°F may degrade the resin component.

Possibility of hazardous reactions

: Hazardous polymerization does not occur.

Conditions to avoid Direct sources of heat. Do not use in areas without adequate ventilation. Avoid contact with

incompatible materials.

Incompatible materials Strong oxidizing agents; Strong acids; Strong bases; Amines; Mercaptans

Hazardous decomposition products

: Peroxides. Refer also to hazardous combustion products, Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation : YES Routes of entry skin & eye : YFS Routes of entry Ingestion : YES Routes of exposure skin absorption

: YFS

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

Mild respiratory irritant. May cause coughing and breathing difficulties. Inhalation of fumes may result in metal fume fever, a flu-like illness. Symptoms of metal fume fever may include fever, fatigue, vomiting, muscle aches and shortness of breath.

Sign and symptoms ingestion

: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Sign and symptoms skin May cause mild skin irritation. Exposure may cause temporary irritation, redness or

discomfort. Can be absorbed through skin.

Sign and symptoms eyes Direct eye contact may cause slight or mild, transient irritation. Exposure may cause

temporary irritation, redness or discomfort.

Potential Chronic Health Effects

Silver in the form of a finely divided dust may cause discoloration in contact with skin, and

argyrosis in case of inhalation.



CHO-BOND® 584 SDS No: PHC-049 Page 7 of 13 SDS Preparation Date (mm/dd/yyyy): 05/03/2017

SAFETY DATA SHEET

Mutagenicity

: This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification:

Germ cell mutagenicity - Category 2. Suspected of causing genetic defects. Contains: o-Cresyl glycidyl ether. o-Cresyl glycidyl ether induced a reproducible, dose-related increase in the His+ revertant frequency in Salmonella tester strains TA1535 and TA100, without rodent liver S9 metabolic activation. Therefore, the test substance is considered a direct-acting gene-mutagen in Salmonella under the conditions of the study. These positive findings suggest that the test substance induced repairable DNA damage in human lymhpocytes.

Carcinogenicity

Not classifiable as a human carcinogen, based on currently available data. No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects & Teratogenicity

: This product is not expected to cause reproductive or developmental effects.

Sensitization to material

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification:

Skin sensitization - Category 1. May cause an allergic skin reaction.

May cause severe skin sensitization with allergic contact dermatitis symptoms such as

swelling, rash and eczema.

Not expected to be a respiratory sensitizer.

Specific target organ effects

: According to the classification criteria of U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015), this product is not expected to cause target organ toxicity through single or

Medical conditions aggravated by overexposure

: Pre-existing skin, eye and respiratory disorders.

Synergistic materials

None known or reported by the manufacturer.

Toxicological data

Not classified for acute toxicity based on available data. No data is available on the product itself. The calculated ATE values for this mixture are:

ATE inhalation (mists) = 101.5 mg/L/4H

See below for individual ingredient acute toxicity data.

	LC ₅₀ (4hr)	LD50		
Chemical name	inh, rat	(Oral, rat)	(Rabbit, dermal)	
silver	> 5.16 mg/L (dust) (No mortality)	> 2000 mg/kg (No mortality)	> 2000 mg/kg (No mortality)	
Bisphenol A / epichlorohydrin resin	N/Av	11 400 mg/kg	> 2000 mg/kg (No mortality)	
o-Cresyl glycidyl ether	> 6.09 mg/L (mist)	> 5000 mg/kg	> 2000mg/kg (No mortality)	

Other important toxicological hazards

: None known or reported by the manufacturer.



CHO-BOND® 584 SDS No: PHC-049 Page 8 of 13

SDS Preparation Date (mm/dd/yyyy): 05/03/2017

SAFETY DATA SHEET

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

: Toxic to aquatic life with long lasting effects. No data is available on the product itself. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters. The product contains the following substances which are hazardous for the environment: Bisphenol A / epichlorohydrin resin; o-Cresyl glycidyl ether. This product also contains: Silver. The acute toxicity of silver to aquatic species varies drastically by the chemical form and correlates with the availability of free ionic silver. Aquatic toxicity is highly variable not only by organism but with physical and chemical characteristics of the water itself.

See the following tables for individual ingredient ecotoxicity data.

Ecotoxicity data:

<u>Ingredients</u>	0.0.11		Toxicity to Fish	
	CAS No	LC50 / 96h	NOEC / 21 day	M Factor
silver	7440-22-4	N/Av	N/Av	None.
Bisphenol A / epichlorohydrin resin	25068-38-6	3.6 mg/L (Rainbow trout)	N/Av	None.
o-Cresyl glycidyl ether	2210-79-9	2.8 - 5.1 mg/L (Rainbow trout)	N/Av	None.

<u>Ingredients</u>	CAS No	Toxicity to Daphnia				
		EC50 / 48h	NOEC / 21 day	M Factor		
silver	7440-22-4	N/Av	N/Av	None.		
Bisphenol A / epichlorohydrin resin	25068-38-6	1.1 - 2.8 mg/L (Daphnia magna)	0.3 mg/L (Read-across)	None.		
o-Cresyl glycidyl ether	2210-79-9	16 mg/L (Daphnia magna)	N/Av	None.		

<u>Ingredients</u>	CAS No	Toxicity to Algae				
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor		
silver	7440-22-4	N/Av	N/Av	None.		
Bisphenol A / epichlorohydrin resin	25068-38-6	9.4 mg/L/72hr (Green algae) (Read-across)	2.8 mg/L/72hr (Read-across)	None.		
o-Cresyl glycidyl ether	2210-79-9	5.1 mg/L/72hr (Green algae)	N/Av	None.		

Persistence and degradability

The product itself has not been tested.

Contains the following chemicals which are not readily biodegradable: silver; Bisphenol A / epichlorohydrin resin; o-Cresyl glycidyl ether.



CHO-BOND® 584 SDS No: PHC-049 Page 9 of 13 SDS Preparation Date (mm/dd/yyyy): 05/03/2017

SAFETY DATA SHEET

Bioaccumulation potential : The product itself has not been tested. See the following data for ingredient information.

Components	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)
Bisphenol A / epichlorohydrin resin (CAS 25068-38-6)	> 2.915	31
o-Cresyl glycidyl ether (CAS 2210-79-9)	2.5	N/Av

Mobility in soil : The product itself has not been tested.

Other Adverse Environmental effects

RCRA


No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal : Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8. This material and its container must be disposed of in a Empty containers retain residue and can be dangerous. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Methods of Disposal : Dispose in accordance with all applicable federal, state, provincial and local regulations.

> If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.





CHO-BOND® 584 SDS No: PHC-049

SDS Preparation Date (mm/dd/yyyy): 05/03/2017

Page 10 of 13

SAFETY DATA SHEET

SECTION 14. TRANSPORTATION INFORMATION

Regulatory Information	UN Number	UN proper shipping name	UN proper shipping name Transport hazard class(es) Packi Grou		Ŭ lahal	
49CFR/DOT	None.	Not regulated.	not regulated	none	\otimes	
49CFR/DOT Additional information	Not regulated un shipments, as a	nless shipping internationally by sea or air. Refer to IMDG or IA ppropriate.	TA information	for internation	onal sea or air	
TDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. [Reaction product: bisphenol-A-(epichlorohydrin); 2,3-epoxypropyl o-tolyl ether]	9	III	♠	
TDG Additional information	This material ma	ay be shipped as an exempted marine pollutant in accordance	with TDG Section	on 1.45.1 an	d Special Provision	
ICAO/IATA	UN3082	Environmentally hazardous substance, liquid, n.o.s. [Reaction product: bisphenol-A-(epichlorohydrin); 2,3-epoxypropyl o-tolyl ether]	9	III	(h) (k)	
ICAO/IATA Additional information	shipping this ma	ropriate Packing Instruction, prior to shipping this material. Reviterial. Iterial. Itally hazardous substance mark must appear on packagings h				
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. [Reaction product: bisphenol-A-(epichlorohydrin); 2,3-epoxypropyl o-tolyl ether]	9	III	(1)	
IMDG Additional information	gross mass.	as Limited Quantity when transported in containers no larger t stally hazardous substance mark must appear on packagings h			· ·	

Special precautions for user

: Appropriate advice on safety must accompany the package. Avoid release to the

environment.

Environmental hazards

: This mixture meets the criteria for an environmentally hazardous material according to the

IMDG Code. See Section 12 for more environmental information.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

		TSCA	CERCLA Reportable	SARA TITLE III: Sec. 302, Extremely Hazardous	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical		
<u>Ingredients</u>	CAS#	Inventory	Quantity(RQ) (40 CFR 117.302):	Substance, 40 CFR 355:	Toxic Chemical	de minimus Concentration	
silver	7440-22-4	Yes	1000 lb/454 kg	None.	Yes	1%	
Bisphenol A / epichlorohydrin resin	25068-38-6	Yes	None.	None.	No	N/Ap	
o-Cresyl glycidyl ether	2210-79-9	Yes	None.	None.	No	N/Ap	



CHO-BOND® 584 SDS No: PHC-049 Page 11 of 13 SDS Preparation Date (mm/dd/yyyy): 05/03/2017

SAFETY DATA SHEET

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes:

Health hazards (Skin sensitization; Germ cell mutagenicity)

Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	California Proposition 65		a Proposition 65	State "Right to Know" Lists					
	UAG#	Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
silver	7440-22-4	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes
Bisphenol A / epichlorohydrin resin	25068-38-6	No	N/Ap	No	No	No	No	No	No
o-Cresyl glycidyl ether	2210-79-9	No	N/Ap	No	No	No	No	No	No

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List

Canadian National Pollutant Release Inventory (NPRI): This product contains the following substances listed on the NPRI: silver (Part 1, Group A Substance)

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

International Information:

Components listed below are present on the following International Inventory list:

Ingredients	CAS#	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	New Zealand IOC
silver	7440-22-4	231-131-3	Present	Present	Not listed	KE-31261	Present	HSR003077
Bisphenol A / epichlorohydrin resin	25068-38-6	500-033-5	Present	Present	(7)-1283	KE-24000	Present	HSR003180
o-Cresyl glycidyl ether	2210-79-9	218-645-3	Present	Present	(3)-594, (3)-574	KE-24799	Present	HSR007257

SECTION 16. OTHER INFORMATION

Legend

ACGIH: American Conference of Governmental Industrial Hygienists

AICS: Australian Inventory of Chemical Substances

CA: California

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of

CFR: Code of Federal Regulations CSA: Canadian Standards Association DOT: Department of Transportation EC50: Effective Concentration 50%

EINECS: European Inventory of Existing Commercial chemical Substances

ENCS: Existing and New Chemical Substances

EPA: Environmental Protection Agency



CHO-BOND® 584 SDS No: PHC-049 Page 12 of 13 SDS Preparation Date (mm/dd/yyyy): 05/03/2017

SAFETY DATA SHEET

HSDB: Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer

IBC: Intermediate Bulk Container

IECSC: Inventory of Existing Chemical Substances IMDG: International Maritime Dangerous Goods

IOC: Inventory of Chemicals

KECI: Korean Existing Chemicals Inventory KECL: Korean Existing Chemicals List

LC: Lethal Concentration

LD: Lethal Dose MA: Massachusetts MN: Minnesota N/Ap: Not Applicable N/Av: Not Available

NIOSH: National Institute of Occupational Safety and Health

NJ: New Jersey

NOEC: No observable effect concentration

NTP: National Toxicology Program

OECD: Organisation for Economic Co-operation and Development

OSHA: Occupational Safety and Health Administration

PA: Pennsylvania

PEL: Permissible exposure limit

PICCS: Philippine Inventory of Chemicals and Chemical Substances

RCRA: Resource Conservation and Recovery Act

RI: Rhode Island

RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act

SDS: Safety Data Sheet

STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values TSCA: Toxic Substance Control Act TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System

References

- 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2017.
- 2. International Agency for Research on Cancer Monographs, searched 2017.
- Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2017 (Chempendium, HSDB and RTECs).
- 4. Material Safety Data Sheets from manufacturer.
- 5. US EPA Title III List of Lists March 2015 version.
- 6. California Proposition 65 List January 27, 2017 version.
- 7. OECD The Global Portal to Information on Chemical Substances eChemPortal, 2017.

Preparation Date (mm/dd/yyyy)

: 05/03/2017

Other special considerations for handling

: Provide adequate information, instruction and training for operators.



CHO-BOND® 584 SDS No: PHC-049 Page 13 of 13 SDS Preparation Date (mm/dd/yyyy): 05/03/2017

SAFETY DATA SHEET

Prepared for:

Parker Hannifin Corp. 77 Dragon Court Woburn, MA, USA 01888 Telephone: 781-935-4850

Direct all enquiries to: Parker Hannifin Corp.



Prepared by:

ICC The Compliance Center Inc.

Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada)

http://www.thecompliancecenter.com



DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Parker Hannifin Corporation and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Parker Hannifin Corporation expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Parker Hannifin Corporation.

END OF DOCUMENT