



Revision Date 10/31/2014

Revision 1



SAFETY DATA SHEET

EPO-TEK T905-1 Black Part A

1. IDENTIFICATION

<u>Product Name</u>	EPO-TEK T905-1 Black Part A
<u>Product No.</u>	EPO-TEK T905-1 Black Part A
<u>Identified uses</u>	Adhesive.
<u>Supplier</u>	Service Chimie 5, Place de l'Eglise St Thibault des Vignes 77400 Marne la Vallée - France
	Tél : 01 64 30 89 22 Fax : 01 64 30 87 49 Mail : HSE@service-chimie.fr
<u>Emergency Telephone</u>	(800) 255-3924

2. HAZARD(S) IDENTIFICATION

<u>Appearance</u>	Paste
<u>Color</u>	Black.
<u>Odor</u>	Mild.
<u>GHS Pictogram</u>	



<u>Signal Word</u>	Warning
--------------------	---------

Hazard Statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Precautionary Statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P313	Get medical advice/attention.
P501	Dispose of contents/container in accordance with local regulations.

GHS Classification

Physical and Chemical Hazards	Not classified.
Human health	Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; Skin Sens. 1 - H317
Environment	Aquatic Chronic 3 - H412

Inhalation

High concentrations of vapors may irritate respiratory system and lead to headache, fatigue, nausea and vomiting.

Ingestion

May cause discomfort if swallowed.

Skin Contact

May cause sensitization by skin contact. Irritating to skin.

Eye Contact

Irritating to eyes. May cause severe irritation to eyes.



3. COMPOSITION/INFORMATION ON INGREDIENTS

Epoxy Resin Blend	10-30%
-------------------	--------

CAS No.: Proprietary	EC No.: Proprietary
----------------------	---------------------

GHS Classification Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; Skin Sens. 1 - H317; Aquatic Chronic 2 - H411
--

Reactive Diluent	5-10%
------------------	-------

CAS No.: Proprietary	EC No.: Proprietary
----------------------	---------------------

GHS Classification Acute Tox. 4 - H312; Acute Tox. 4 - H332; Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; Skin Sens. 1 - H317
--

4. FIRST-AID MEASURES

Description of first aid measures

Inhalation

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

Ingestion

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention if any discomfort continues.

Skin Contact

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

Eye Contact

Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

Most important symptoms and effects, both acute and delayed

Inhalation

Inhalation of dusts during cutting, grinding or sanding of this product may cause irritation of the respiratory tract. Vapors may cause headache, fatigue, dizziness and nausea.

Ingestion

May cause discomfort if swallowed.

Skin Contact

Skin irritation. Allergic rash.

Eye Contact

May cause severe irritation to eyes.

Indication of any immediate medical attention and special treatment needed

Notes To The Physician

Treat Symptomatically.

5. FIRE-FIGHTING MEASURES

Flash point (°C)	204
------------------	-----

Extinguishing Media

Fire can be extinguished using: Dry chemicals. Foam. Carbon dioxide (CO₂).

Hazardous combustion products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

Special Fire Fighting Procedures

Avoid breathing fire vapors.



Protective Equipment For Fire-Fighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Wear protective clothing as described in Section 8 of this material safety data sheet.

Environmental Precautions

Do not discharge onto the ground or into water courses. Avoid release to the environment.

Spill Clean Up Methods

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

Reference to other sections

For personal protection, see section 8.

7. HANDLING AND STORAGE

Handling

Avoid spilling, skin and eye contact. Keep away from heat, sparks and open flame. Do not eat, drink or smoke when using the product.

Avoid inhalation of vapors. Provide good ventilation.

Storage

Store at moderate temperatures in dry, well-ventilated area. Keep container tightly sealed when not in use.

Storage Class

Chemical storage.

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective Equipment



Process Conditions

Provide eyewash station.

Engineering Measures

Provide adequate ventilation.

Respiratory Equipment

If ventilation is insufficient, suitable respiratory protection must be provided.

Hand Protection

Wear protective gloves.

Eye Protection

Wear goggles/face shield.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene Measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.



9. PHYSICAL AND CHEMICAL PROPERTIES

<u>Appearance</u>	Paste
<u>Color</u>	Black.
<u>Odor</u>	Mild.
<u>Solubility</u>	Slightly soluble in water.
<u>Vapor density (air=1)</u>	>1
<u>Evaporation rate</u>	<BuAc
<u>Flash point (°C)</u>	204

10. STABILITY AND REACTIVITY

Reactivity

Violent reaction with: Strong oxidizing agents. Strong reducing agents.

Stability

Stable under normal temperature conditions.

Hazardous Polymerisation

Will not occur.

Conditions To Avoid

Avoid excessive heat for prolonged periods of time. Avoid heat, flames and other sources of ignition. Avoid contact with oxidizers or reducing agents.

Materials To Avoid

Strong oxidizing substances. Strong reducing agents.

Hazardous Decomposition Products

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂).

11. TOXICOLOGICAL INFORMATION

Toxicological Information on Ingredients:

Reactive Diluent (CAS: Proprietary)

Toxic Dose 1 - LD 50

1, 163 mg/kg (oral, rat)

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Degradability

There are no data on the degradability of this product.

Bioaccumulative potential

No data available on bioaccumulation.

Mobility:

The product has poor water-solubility.

Other adverse effects

Not known.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORMATION



<u>General</u>	The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, DOT).
<u>Road Transport Notes</u>	Not Classified
<u>Rail Transport Notes</u>	Not classified.
<u>Sea Transport Notes</u>	Not classified.
<u>Air Transport Notes</u>	Not classified.
<u>Transport Labels</u>	No transport warning sign required.

Environmentally Hazardous Substance/Marine Pollutant

No.

Transport in Bulk according to Annex II of MARPOL 73/78 and the IBC Code Notes

Not applicable.

15. REGULATORY INFORMATIONUS Federal RegulationsSARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed.

SARA 313 Emission Reporting

None of the ingredients are listed.

CAA Accidental Release Prevention

None of the ingredients are listed.

OSHA Highly Hazardous Chemicals

None of the ingredients are listed.

US State RegulationsCalifornia Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-I)

None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed.

Massachusetts "Right To Know" List

None of the ingredients are listed.

Rhode Island "Right To Know" List

None of the ingredients are listed.

Minnesota "Right To Know" List

None of the ingredients are listed.



New Jersey "Right To Know" List

None of the ingredients are listed.

Pennsylvania "Right To Know" List

None of the ingredients are listed.

International Inventories

EU - EINECS/ELINCS

At least one ingredient is not listed.

Canada – DSL/NDSL

All ingredients are listed or exempt.

US - TSCA

All ingredients are listed or exempt.

US – TSCA 12(b) Export Notification

None of the ingredients are listed.

Australia - AICS

All ingredients are listed or exempt.

Japan – MITI

At least one ingredient is not listed.

Korea - KECI

All ingredients are listed or exempt.

China - IECSC

All ingredients are listed or exempt.

Philippines – PICCS

All ingredients are listed or exempt.

16. OTHER INFORMATION

Revision Date 10/31/2014

Revision 1

Disclaimer

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.



Revision Date 10/31/2014

Revision 1



SAFETY DATA SHEET

EPO-TEK T905-1 Black Part B

1. IDENTIFICATION

<u>Product Name</u>	EPO-TEK T905-1 Black Part B
<u>Product No.</u>	EPO-TEK T905-1 Black Part B
<u>Identification No.</u>	UN2735
<u>Identified uses</u>	Adhesive.
<u>Supplier</u>	Service Chimie 5, Place de l'Eglise St Thibault des Vignes 77400 Marne la Vallée - France
	Tel : 01 64 30 89 22 Fax : 01 64 30 87 49 Mail : HSE@service-chimie.fr
<u>Emergency Telephone</u>	(800) 255-3924

2. HAZARD(S) IDENTIFICATION

<u>Appearance</u>	Liquid
<u>Color</u>	Amber.
<u>Odor</u>	Mild.
<u>GHS Pictogram</u>	



Signal Word Danger

Hazard Statements

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H351	Suspected of causing cancer.
H360FD	May damage fertility or the unborn child.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P201	Obtain special instructions before use.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P281	Use personal protective equipment as required.
P285	In case of inadequate ventilation wear respiratory protection.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a POISON CENTER or doctor/physician.
P342+311	If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
P501	Dispose of contents/container in accordance with local regulations.

GHS Classification

Physical and Chemical Hazards	Not classified.
Human health	Acute Tox. 4 - H302; Acute Tox. 4 - H312; Skin Corr. 1B - H314; Resp. Sens. 1 - H334; Skin Sens. 1 - H317; Carc. 2 - H351; Repr. 1A - H360FD
Environment	Aquatic Acute 1 - H400; Aquatic Chronic 1 - H410

Human Health

Contains a substance/a group of substances which may impair fertility. Contains a substance/a group of substances which may cause harm to the unborn child. Contains a substance which may be potentially carcinogenic.

Inhalation

May cause sensitization by inhalation. High concentrations of vapors may irritate respiratory system and lead to headache, fatigue, nausea and vomiting.

Ingestion

Harmful if swallowed. May cause chemical burns in mouth, oesophagus and stomach. May cause stomach pain or vomiting.

Skin Contact

Harmful in contact with skin. May cause serious chemical burns to the skin. May cause sensitization by skin contact.

Eye Contact

Risk of serious damage to eyes. Causes burns.

Health Warnings

Possible reproductive impact. Known or suspected carcinogen for humans.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Cyclic Diamine	1-5%
CAS No.: Proprietary	EC No.: Proprietary
GHS Classification Skin Corr. 1B - H314; Resp. Sens. 1 - H334; Skin Sens. 1 - H317; Repr. 2 - H361fd	
Cyclic Ethyleneamine	< 1%
CAS No.: Proprietary	EC No.: Proprietary
GHS Classification Acute Tox. 3 - H311; Skin Corr. 1B - H314; Skin Sens. 1 - H317; Repr. 1A - H360FD; Aquatic Chronic 3 - H412	
Cycloaliphatic Diamine	30-60%
CAS No.: Proprietary	EC No.: Proprietary
GHS Classification Acute Tox. 4 - H302; Acute Tox. 4 - H312; Skin Corr. 1B - H314; Skin Sens. 1 - H317; Aquatic Chronic 3 - H412	
Specialty Aromatic Diamine	30-60%
CAS No.: Proprietary	EC No.: Proprietary
GHS Classification Acute Tox. 4 - H302; Carc. 2 - H351; Aquatic Acute 1 - H400; Aquatic Chronic 1 - H410	



Tertiary Amine	5-10%
CAS No.: Proprietary	EC No.: Proprietary
GHS Classification Skin Irrit. 2 - H315	

4. FIRST-AID MEASURES

Description of first aid measures

Inhalation

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

Ingestion

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention if any discomfort continues.

Skin Contact

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

Eye Contact

Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

Most important symptoms and effects, both acute and delayed

Inhalation

Irritation of nose, throat and airway. Vapors may cause headache, fatigue, dizziness and nausea.

Ingestion

May cause chemical burns in mouth and throat. May cause stomach pain or vomiting.

Skin Contact

Allergic rash. May cause serious chemical burns to the skin.

Eye Contact

Extreme irritation of eyes and mucous membranes, including burning and tearing. Corneal damage.

Indication of any immediate medical attention and special treatment needed

Notes To The Physician

Treat Symptomatically.

5. FIRE-FIGHTING MEASURES

Flash point (°C) 93

Extinguishing Media

Fire can be extinguished using: Dry chemicals. Foam. Carbon dioxide (CO₂).

Hazardous combustion products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

Special Fire Fighting Procedures

Avoid breathing fire vapors.

Protective Equipment For Fire-Fighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Wear protective clothing as described in Section 8 of this material safety data sheet.

Environmental Precautions

Do not discharge into drains, water courses or onto the ground. Avoid release to the environment.

Spill Clean Up Methods

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.



Reference to other sections

For personal protection, see section 8.

7. HANDLING AND STORAGE

Handling

Avoid spilling, skin and eye contact. Do not handle broken packages without protective equipment. Keep away from heat, sparks and open flame. Do not eat, drink or smoke when using the product. Avoid inhalation of vapors. Provide good ventilation.

Storage

Store at moderate temperatures in dry, well-ventilated area. Keep container tightly sealed when not in use.

Storage Class

Chemical storage.

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

COMPONENT	STD	TWA (8-hrs)		STEL (15 min)		Notes
Tertiary Amine	ACGIH		5 mg/m3			

ACGIH=American Conference of Governmental Industrial Hygienists.

Protective Equipment



Process Conditions

Provide eyewash station.

Engineering Measures

Provide adequate ventilation.

Respiratory Equipment

If ventilation is insufficient, suitable respiratory protection must be provided.

Hand Protection

Wear protective gloves.

Eye Protection

Wear tight-fitting goggles or face shield.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene Measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

<u>Appearance</u>	Liquid
<u>Color</u>	Amber.
<u>Odor</u>	Mild.
<u>Solubility</u>	Soluble in water.
<u>Vapor density (air=1)</u>	>1
<u>Evaporation rate</u>	<BuAc
<u>Flash point (°C)</u>	93



10. STABILITY AND REACTIVITY

Reactivity

Violent reaction with: Strong oxidizing agents. Strong reducing agents.

Stability

Stable under normal temperature conditions.

Hazardous Polymerisation

Will not occur.

Conditions To Avoid

Avoid excessive heat for prolonged periods of time. Avoid heat, flames and other sources of ignition. Avoid contact with oxidizers or reducing agents.

Materials To Avoid

Strong oxidizing substances. Strong reducing agents.

Hazardous Decomposition Products

During fire, toxic gases (CO, CO₂, NO_x) are formed.

11. TOXICOLOGICAL INFORMATION

Toxicological Information on Ingredients:

Tertiary Amine (CAS: Proprietary)

Carcinogenicity:

IARC Carcinogenicity

IARC Group 3 Not classifiable as to its carcinogenicity to humans.

NTP - Carcinogenicity

Reasonably anticipated human carcinogen.

OSHA - Carcinogenicity

Not listed.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Acute Fish Toxicity

Very toxic to aquatic organisms.

Degradability

No data available.

Bioaccumulative potential

No data available on bioaccumulation.

Mobility:

Semi-mobile.

Other adverse effects

Not known.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORMATION

UN No. (DOT/TDG)

UN2735

UN No. (IMDG)

2735

UN No. (ICAO)

2735

DOT Proper Shipping Name

AMINES, LIQUID, CORROSIVE, N.O.S. (Cycloaliphatic Diamine, Specialty Aromatic Diamine)

TDG Proper Shipping Name

AMINES, LIQUID, CORROSIVE, N.O.S. (Cycloaliphatic Diamine, Specialty Aromatic Diamine)

DOT Hazard Class

8

DOT Hazard Label

Corrosive

TDG Class 8TDG Label(s) 8IMDG Class 8ICAO Class 8Transport LabelsDOT Pack Group IIIIMDG Pack Group IIIAir Pack Group IIIEnvironmentally Hazardous Substance/Marine PollutantEMS

F-A, S-B

15. REGULATORY INFORMATIONUS Federal RegulationsSARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed.

SARA 313 Emission Reporting

None of the ingredients are listed.

CAA Accidental Release Prevention

None of the ingredients are listed.

OSHA Highly Hazardous Chemicals

None of the ingredients are listed.

US State RegulationsCalifornia Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-I)

None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed.

Massachusetts "Right To Know" List

The following ingredients are listed.



Cyclic Diamine

Cyclic Ethyleneamine

Tertiary Amine

Rhode Island "Right To Know" List

The following ingredients are listed.

Tertiary Amine

Minnesota "Right To Know" List

The following ingredients are listed.

Tertiary Amine

New Jersey "Right To Know" List

The following ingredients are listed.

Cyclic Diamine

Cyclic Ethyleneamine

Cycloaliphatic Diamine

Tertiary Amine

Pennsylvania "Right To Know" List

The following ingredients are listed.

Cyclic Diamine

Cyclic Ethyleneamine

Tertiary Amine

International Inventories

EU - EINECS/ELINCS

At least one ingredient is not listed.

Canada – DSL/NDSL

All ingredients are listed or exempt.

US - TSCA

At least one ingredient is not listed.

US – TSCA 12(b) Export Notification

None of the ingredients are listed.

Australia - AICS

All ingredients are listed or exempt.

Japan – MITI

At least one ingredient is not listed.

Korea - KECI

All ingredients are listed or exempt.

China - IECSC

All ingredients are listed or exempt.

Philippines – PICCS

All ingredients are listed or exempt.

16. OTHER INFORMATION

Revision Date 10/31/2014

Revision 1

Disclaimer

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.